


FICHA TÉCNICA DE PRODUTO – RALO MDX

MDX

O dreno de fundo #1 em termos de eficiência e segurança, comprovado mundialmente.



1- DESCRIÇÃO DO PRODUTO

Equipamento desenvolvido para atender todas as normas de segurança internacionais. Único e exclusivo sistema de sucção que além da eficiência em succionar detritos, faz seu trabalho com a segurança do usuário.

2- FAQ – PERGUNTAS FREQUENTES

1. Porque devo instalar o Ralo de Fundo MDX ao invés do convencional?

R. O ralo de MDX está conforme as normas internacionais, proporcionando assim mais segurança para o usuário. Também possui uma vazão maior certificada e seu sistema é o único aprovado em todos os continentes, ver informações VGB.

3- DICAS

1. A sucção em um dreno de fundo não pode passar 1,8m/s, exija um projeto hidráulico e sua responsabilidade técnica, garantindo a segurança de todos os usuários

4- NORMAS APLICÁVEIS

NBR 9818 - Projeto e execução de piscinas

NBR 10339 - Projeto e execução de piscinas (sistema de recirculação e tratamento)


5- DESCRIÇÃO DO PRODUTO

VAZÃO MÁXIMA 21 m³/h a 1,8m/s

CONEXÕES 110mm ou 75mm (Adaptador incluso no produto)

COMPATIBILIDADE Modelos compatíveis com piscinas de concreto, alvenaria, vinil e fibra de vidro.

CORES DISPONÍVEIS




COMPOSIÇÃO

④ TAMPA DE PROTEÇÃO


③ TUBO FLEXÍVEL

② ANEL NIVELADOR CONCRETO

① BASE



INSTALAÇÃO:



Conforme esquema acima a base é fixada na laje /concreto no mesmo nível do piso. Logo em seguida é instalado o anel nivelador na base que se ajusta com o nivelamento entre o concreto e o piso acabado, revestido. Por ultimo encaixado o tubo flexível junto com a tampa de proteção e acabamento.

6- ASSISTÊNCIA TÉCNICA

E-MAIL: falecom@primeiromundo.com.br



VGB COMPLIANT DEBRIS DRAIN

CERTIFICATE OF CONFORMITY

1. PRODUCT: MDX-R3 VGB COMPLIANT DEBRIS DRAIN

MDX-R3 US
XXX-262-2240-XX CONCRETE ADJUSTABLE
XXX-262-2243-XX CONCRETE NON ADJUSTABLE
XXX-272-2240-XX VINYL
XXX-282-2240-XX FIBERGLASS
MDX-R3 AU
XXX-262-2241-XX CONCRETE ADJUSTABLE
XXX-262-2244-XX CONCRETE NON ADJUSTABLE
XXX-272-2241-XX VINYL
XXX-282-2241-XX FIBERGLASS
MDX-R3 EU
XXX-262-2242-XX CONCRETE ADJUSTABLE
XXX-262-2245-XX CONCRETE NON ADJUSTABLE
XXX-272-2242-XX VINYL
XXX-282-2242-XX FIBERGLASS
-XX DESIGNATES COLOR
The MDX-R3 VGB Compliant Debris Drain is a 14" diameter drain fitting. It includes a sump, an enlarged suction element and a reducer adapter to 2 1/2" with a funnel shaped cover that is affixed to a concrete leveling ring or directly to the sump. The drain has a single C shaped opening to accept large debris.

2. APPLICABLE STANDARD OR REGULATION:

VGB Pool and Spa Safety Act 2008
ASME A112.19.8-2009B
ANSI/APSP-7 2006

3. DOMESTIC MANUFACTURER:

Paramount Leisure Industries
DBA/ Paramount Pool and Spa Systems
295 E Corporate Plc #100
Chandler, AZ 85225
480-893-7607
800-621-5886

4. US IMPORTER: N/A

5. PRIVATE LABELER: N/A

6. Test Record Documentation:

Dominic Conn
Director of Engineering
Paramount Pool and Spa Systems
Chandler, AZ 85225
dconn@1paramount.com
480-893-7607x250
Tony Zhou
IAPMO R&T Lab
Manager Testing
5001 East Philadelphia Street
Ontario, CA 91761
tony.zhou@iapmortl.org
909-472-4243

7. Date and Place of Manufacture:

October 2010
Chandler AZ

8. Date and Location of Test Report:

September 28, 2010
IAPMO R&T Lab

9. Name of Third Party laboratory:

IAPMO R&T Lab
5001 East Philadelphia Street
Ontario, CA 91761-2816 USA

Install Date_____

Replacement 5 years from installed date_____